



HARMAN LUXURY AUDIO

RETAIL PRICE LIST

Table of Contents

HDA Series Power Amplifiers3

HDA Series Audio/Video Receivers..... 4

HDA Series Audio/Video Processor 6

RADIA Series Integrated Amplifiers7

RADIA Series Audio Players9

Terms and Conditions of Sale 10

HDA SERIES

Power Amplifiers

ARCAM



Model Name	Description	Material Number	MSRP
PA720	<p>Class G Power Amplifier</p> <ul style="list-style-type: none"> • 7 x 100W Class G amplification (all channels driven) • Class G amplification with 20W of Class A operation • Seven channels driven, 4Ω / 8Ω, 20Hz – 20kHz 140W / 100W • Five channels driven, 4Ω / 8Ω, 1kHz 175W / 110W • Two channels driven, 4Ω / 8Ω, 1kHz 225W / 140W • Harmonic distortion, 80% power, 8Ω at 1kHz: 0.002% • Power consumption (maximum): 1.5kW • Power consumption (idle/typical): 90W • Dimensions including feet, control knob and terminal (W x D x H): 433 x 425 x 177mm • Weight: 39.7 lbs (18kg) • EAN: 625281956720 	<p>ARCPA720EU</p> <p>EAN: 6925281956737</p>	3.890 €
PA240	<p>2 Channel Class G Power Amplifier</p> <ul style="list-style-type: none"> • 2 x 380W Class G amplification with both channels driven • 1 x 790W Class G bridged mode • Class G amplification with 50W of Class A operation • Two channels driven, 4Ω / 8Ω, 20Hz – 20kHz 380W / 225W • One channel driven, 8Ω bridged mode, 20Hz - 20kHz 790W • Harmonic distortion, 80% power, 8Ω at 1kHz: 0.001% • Power consumption (maximum): 1.5kW • Power consumption (idle/typical): 90W • Dimensions including feet, control knob and terminal (W x D x H): 433 x 425 x 177mm • Weight: 39.7 lbs (18kg) • EAN: 6925281956768 	<p>ARCPA240EU</p> <p>EAN: 6925281956768</p>	2.850 €
PA410	<p>4 Channel Power Amplifier</p> <ul style="list-style-type: none"> • 4 x 50W Class AB amplification • Four channels driven, 4Ω/8Ω, 20Hz - 20kHz 70W / 50W • Two channels driven, 4Ω/8Ω, 20Hz - 20kHz 90W / 60 W • Harmonic Distortion, 80% power, 8Ω at 1kHz - 0.003% • Power Consumption (maximum): 700W • Power Consumption (idle/typical): 90W • Dimensions (W x D x H): 433 x 325x 105mm • Weight (packed): 11.5kg • EAN: 6925281969195 	<p>ARCPA410EU</p> <p>EAN: 6925281969195</p>	1.850 €

HDA SERIES

Audio/Video Receivers & Processor

ARCAM



Model Name	Description	Material Number	MSRP
AVR5	<ul style="list-style-type: none">• 2-channels driven (8ohm/4ohm) 80w/100w• 7-channels driven (8ohm/4ohm) 60w/80w• Dolby Atmos & DTS:X 7.1.4 decoding• 4K (UHD) HDMI2.0b with HDCP2.2• 7 HDMI inputs, 2 HDMI outputs, eARC compatible• Dirac Live® ready• ESS 9026PRO audiophile DAC• Class A/B power amplification -• Wifi / Ethernet, RS232 and IR control• Google Cast/UPnP capability for streaming audio• Bluetooth• Weight: 36.4 lbs (16.5kg)• Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm	ARCAVR5EU EAN: 6925281997389	1.980 €

HDA SERIES

Audio/Video Receivers

ARCAM



Model Name	Description	Material Number	MSRP
AVR31	<ul style="list-style-type: none"> • 16 Channels of Dolby Atmos, DTS:X & AURO-3D decoding • 7 HDMI inputs, 3 HDMI outputs inc Zone 2, eARC compatible • HDMI 2.1 with HDCP2.3 • All inputs support 8K@60fps and 4K@120fps • Supports Dolby Vision, HDR10+, HDR10 and HLG • Includes Dirac Live® room correction • Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators • 7 Channels of high power Class G amplification • Wi-Fi / Ethernet, RS232 and IR control • Google Chromecast® built-in for streaming audio • Apple® Airplay2 • Bluetooth aptX®HD • Free MusicLife iOS and Android UPnP app • Supports MQA • Room Ready • Weight: 39.9 lbs (18.1kg) • Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm 	<p>ARCAVR31EU</p> <p>EAN: 6925281994524</p>	7.950 €
AVR21	<ul style="list-style-type: none"> • 16 Channels of Dolby Atmos, DTS:X & AURO-3D decoding • 7 HDMI inputs, 3 HDMI outputs inc Zone 2, eARC compatible • HDMI 2.1 with HDCP2.3 • All inputs support 8K@60fps and 4K@120fps • Supports Dolby Vision, HDR10+, HDR10 and HLG • Includes Dirac Live® room correction • Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators • 7 Channels of high power Class AB amplification • Wi-Fi / Ethernet, RS232 and IR control • Google Chromecast® built-in for streaming audio • Apple® Airplay2 • Bluetooth aptX®HD • Free MusicLife iOS and Android UPnP app • Supports MQA • Room Ready • Weight: 36.6 lbs (16.6kg) • Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm 	<p>ARCAVR21EU</p> <p>EAN: 6925281994494</p>	5.300 €
AVR11	<ul style="list-style-type: none"> • Dolby Atmos, DTS:X & AURO-3D 7.1.4 decoding • 7 HDMI inputs, 2 HDMI outputs, eARC compatible • HDMI 2.1 with HDCP2.3 • All inputs support 8K@60fps and 4K@120fps • Supports Dolby Vision, HDR10+, HDR10 and HLG • Includes Dirac Live® room correction • Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators • 7 Channels of Class AB power amplification • Wi-Fi / Ethernet, RS232 and IR control • Google Chromecast® built-in for streaming audio • Apple® Airplay2 • Bluetooth aptX®HD • Free MusicLife iOS and Android UPnP app • Supports MQA • Room Ready • Weight: 36.4 lbs (16.5kg) • Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm 	<p>ARCAVR11EU</p> <p>EAN: 6925281994463</p>	3.990 €

HDA SERIES

Audio/Video Receivers & Processor

ARCAM



Model Name	Description	Material Number	MSRP
AV41	<ul style="list-style-type: none">• 16 Channels of Dolby Atmos, DTS:X & AURO-3D decoding• 7 HDMI inputs, 3 HDMI outputs inc Zone 2, eARC compatible• HDMI 2.1 with HDCP2.3• All inputs support 8K@60fps and 4K@120fps• Supports Dolby Vision, HDR10+, HDR10 and HLG• Includes Dirac Live[®] room correction• Ready for Dirac Live Bass Control*• Dual ESS 9026PRO audiophile DACs with ESS reference voltage regulators• 16 transformerless balanced XLR output channels• Pairs with PA720, PA240 & PA410 power amplifiers• Wi-Fi / Ethernet, RS232 and IR control• Google Chromecast[®] built-in for streaming audio• Apple[®] Airplay2• Bluetooth aptX[®]HD• Free MusicLife iOS and Android UPnP app• Room Ready and supports MQA• Weight: 23.4 lbs (10.6kg)• Dimensions including speaker terminals and feet (W x D x H): 433 x 425 x 171mm	ARCAV41EU EAN: 6925281994555	6.360 €

SOLO SERIES

ARCAM



Model Name	Description	Material Number	MSRP
Solo Uno	<p>Streamer with built-in amplifier</p> <ul style="list-style-type: none">• Frequency response: 10Hz - 20kHz• Signal to Noise Ratio: 117dB• Aux Input Sensitivity: 2V• Power Requirements: 100 - 240VAC, 50/60Hz• 50 Watt x2 amp built in• Chromecast Suite built in• Aux input for local source connection• Streaming through MusicLife app• Dimensions (W x H x D) 140 x 52 x 213mm• Net Weight: 3.3 lbs (1.5kg)	ARCSOLOUNOEU EAN: 6925281946967	790 €

RADIA SERIES

Integrated Amplifiers

ARCAM



Model Name	Description	Material Number	MSRP
A25	<p>Continuous power output (0.5% THD), per channel 2 channels driven, 20Hz - 20kHz, 8Ω: 100W 2 channels driven, 1kHz, 4Ω: 165W Harmonic distortion, 80% power, 8Ω at 1kHz: 0.002%</p> <p>Analogue Inputs Number of inputs: 3 (RCA pairs) Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB Frequency response: 20Hz—20kHz ± 0.2dB</p> <p>Phono (MM) Input Input impedance: 47kΩ + 100pF</p> <p>Digital Inputs Supported Sample Rates (kHz): USB-C : 384, 352.8, 192, 176.4, 96, 88.2, 48, 44.1 Coaxial (RCA) : 192, 176.4, 96, 88.2, 48, 44.1 Optical (Toslink) : 192, 176.4, 96, 88.2, 48, 44.1 USB-C only : 1024, 512, 256, 128, 64</p> <p>Supported DSD Bit depths (bit) : 32, 24, 16 Frequency response (fi lter 1) : 20Hz—20kHz ± 0.2dB Signal/noise ratio (A-wtd, ref. 50W, 0dBFS) : 110dB</p> <p>Headphone Output Maximum output level (RMS) into 32Ω/300Ω: 2.5V/5V Load range: 16Ω - 2kΩ</p> <p>General Mains voltage = 100V or 110–120V or 220–240V, 50–60Hz Power consumption (maximum): 500W Power consumption (standby): <0.5W Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 83mm Weight (net): 9kg Weight (packed): 12kg</p>	ARCA25EU	1.880 €
A15	<p>Continuous power output (0.5% THD), per channel 2 channels driven, 20Hz - 20kHz, 8Ω: 80W 2 channels driven, 1kHz, 4Ω: 120W Harmonic distortion, 80% power, 8Ω at 1kHz: 0.002%</p> <p>Analogue Inputs Number of inputs: 3 (RCA pairs) Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB Frequency response: 20Hz—20kHz ± 0.2dB</p> <p>Phono (MM) Input Input impedance: 47kΩ + 100pF</p> <p>Digital Inputs Supported Sample Rates (kHz): Coaxial (RCA) : 192, 176.4, 96, 88.2, 48, 44.1 Optical (Toslink) : 192, 176.4, 96, 88.2, 48, 44.1</p> <p>Bit depths (bit) : 24, 16 Frequency response (fi lter 1) : 20Hz—20kHz ± 0.2dB Signal/noise ratio (A-wtd, ref. 50W, 0dBFS) : 109dB</p> <p>Headphone Output Maximum output level (RMS) into 32Ω/300Ω: 2.5V/5V Load range: 16Ω - 2kΩ</p> <p>General Mains voltage = 100V or 110–120V or 220–240V, 50–60Hz Power consumption (maximum): 500W Power consumption (standby): <0.5W Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 98mm Weight (net): 10kg Weight (packed): 13kg</p>	ARCA15EU	1.320 €

RADIA SERIES

Integrated Amplifiers

ARCAM



Model Name	Description	Material Number	MSRP
A5	<p>Continuous power output (0.5% THD), per channel 2 channels driven, 20Hz - 20kHz, 8Ω: 50W 2 channels driven, 1kHz, 4Ω: 75W Harmonic distortion, 80% power, 8Ω at 1kHz: 0.003%</p> <p>Analogue Inputs Number of inputs: 3 (RCA pairs) Signal/noise ratio (A-wtd, ref. 50W, 1V input): 106dB Frequency response: 20Hz—20kHz ± 0.2dB</p> <p>Phono (MM) Input Input impedance: 47kΩ + 100pF</p> <p>Digital Inputs Supported Sample Rates (kHz): Coaxial (RCA): 192, 176.4, 96, 88.2, 48, 44.1 Optical (Toslink): 192, 176.4, 96, 88.2, 48, 44.1</p> <p>Bit depths (bit): 24, 16 Frequency response (filter 1): 20Hz—20kHz ± 0.2dB Signal/noise ratio (A-wtd, ref. 50W, 0dBFS): 109dB</p> <p>Headphone Output Maximum output level (RMS) into 32Ω/300Ω: 2.5V/5V Load range: 16Ω - 2kΩ</p> <p>General Mains voltage = 100V or 110–120V or 220–240V, 50–60Hz Power consumption (maximum): 350W Power consumption (standby): <0.5W Dimensions W x D (including speaker terminals) x H (including feet): 431 x 344 x 83mm Weight (net): 8kg Weight (packed): 11kg</p>	ARCA5EU	895 €

RADIA SERIES

Audio Players

ARCAM



Model Name	Description	Material Number	MSRP
ST5	<p>Supported Hi-res media: FLAC, WAS (LPCM), MQA, AAC, ALAC, AIFF, DSD (128)</p> <p>Supported Hi-res Bit depth: 16, 24</p> <p>Supported samples rates (kHz): 44.1, 48, 88.2, 96, 176.4, 192</p> <p>Supported media: MP3, MP4, OGG, WMA</p> <p>Supported Bit depth: 16</p> <p>Supported samples rates (kHz): 44.1, 48</p> <p>Gapless Playback: Yes</p> <p>Digital Outputs: 1x Coaxial (RCA), 1x Optical (Toslink)</p> <p>Analogue Outputs: 1x Stereo (RCA) pair</p> <p>Frequency response (filter 1): 20Hz—20kHz ± 0.05dB</p> <p>Mains voltage: 100V or 110–120V or 220–240V, 50–60Hz</p> <p>Power consumption: 12W</p> <p>Power consumption (Eco standby): <0.5W</p> <p>Dimensions W x D (including speaker terminals) x H (including feet) : 431 x 344 x 83mm</p> <p>Weight (net) : 3.5 kg</p> <p>Weight (packed) : 5.6 kg</p>	ARCST5EU	995 €
CD5	<p>Supported media: CD (Audio), CD-R (Audio/Data), CD-RW (Audio/Data), USB-A (Data)</p> <p>Supported files (Data): WAV (LPCM), FLAC, MP3, AAC, WMA</p> <p>Supported Bit depth: 16 bit – 24 bit</p> <p>Supported sample rates (kHz): 32, 44.1, 48, 88.2 (WAV & FLAC only), 96 (WAV & FLAC only)</p> <p>Outputs: 1x Analogue Stereo (RCA) pair, 1x Digital Coaxial (RCA), 1x Digital Optical (Toslink)</p> <p>Frequency Response (filter 1): 20Hz - 20kHz ± 0.05dB</p> <p>Max Analogue Output (0dBFS): 2.1V rms</p> <p>SNR (A-wtd, ref. 16-bit/24-bit, 0dBFS): 93dB/115dB</p> <p>Mains Voltage & Power Consumption: AC 100-240V, 50/60 Hz, 12W</p> <p>Dimensions : W x D x H (including feet) 431 x 344 x 83mm</p> <p>Supplied Accessories: Mains lead(s), Remote control with 2 x AAA batteries, Quick Start Guide, Important Safety Instructions</p> <p>Product Weight: 6 kg</p> <p>Shipping Weight: 9 kg</p>	ARCD5EU	845 €

Terms and Conditions of Sale

THIS PRICE LIST CANCELS ALL PREVIOUS LISTS AND IS VALID UNTIL FURTHER NOTICE.

ALL PRICES, SPECIFICATIONS, APPEARANCE, and TERMS AND CONDITIONS OF SALE ARE SUBJECT TO CHANGE WITHOUT NOTICE.

E&OE

PRICES EFFECTIVE 1st June 2024



HARMAN Luxury Audio Group
The West Wing, Stirling House,
Waterbeach,
Cambridge.
CB25 9PB
Phone: +44 (0)1223 203200
Orders: luxurysales@harman.com
Technical Support: csupport@harman.com

www.arcam.co.uk

© 2024 HARMAN International Industries, Incorporated. All rights reserved.